

**ATTIX 30**  
**ATTIX 50**  
**ATTIX 19**



**Nilfisk**  
**ALTO**  
works for you

# XtremeClean

## Automatic Filter Cleaning System

Niifisk-ALTO XtremeClean system is extremely efficient and completely automatic. All you have to do is start the vacuum!

The filter is automatically cleaned every 20 seconds while you work. There is no need to interrupt your work.

Compact design and high performance are key features in XtremeClean technology. Two curved flat nanotechnology filters maximize the container volume and improve efficiency even more.

A servo motor controlled Y-FLAP ensures precise reversed air flow and prevents power loss during operation. Powerful air pulses clean the filter gently and keeps suction performance constantly high.

Concentrate on your task, and let XtremeClean take care of the filter.



## ATTIX 30

TECHNICAL DATA	ATTIX 30	ATTIX 30 HEPA	ATTIX 30 AS/E	ATTIX 30 AS/E XC
Part Number	302004229	900130	302004230	107409019
Voltage @ 60 Hz. (V)	120	120	120	120
Power @ 60 Hz. (W)	1000	1000	1000	1000
Air Flow, max. (CFM)	135	135	135	135
Waterlift, max. (in. H <sub>2</sub> O)	92	92	92	92
Noise Level (dB(A)) @ working distance of 3 m.	59	59	59	59
Container Capacity (gal./L)	8/30	8/30	8/30	8/30
L x W x H (in.)	18 x 15 x 23	18 x 15 x 23	18 x 15 x 23	18 x 15 x 23
Shipping Weight (lbs.)	32	32	34	32
Electrical Approval	ETL-C	ETL-C	ETL-C	ETL-C

FEATURES	ATTIX 30	ATTIX 30 HEPA	ATTIX 30 AS/E	ATTIX 30 AS/E XC
Filter Cleaning System	Push&Clean	Push&Clean	Push&Clean	XTREMEClean
SoftStart			●	●
Speed Control			●	●
Electric Tool Start			●	●
Accessory/Tool Storage	●	●	●	●
Antistatic Hose			●	●
Cable Wrap	●	●	●	●

ACCESSORIES	ATTIX 30	ATTIX 30 HEPA	ATTIX 30 AS/E	ATTIX 30 AS/E XC
Hose (dia. x L) (in. x ft.)	● 1.5 x 10 (Part # 15805)	● 1.5 x 10 (Part # 15805)	● 1.25 x 16 (Part # 30657)	● 1.25 x 16 (Part # 30657)
Curved Wand, chrome	● (Part # 302000528)	● (Part # 302000528)	● (Part # 302000528)	● (Part # 302000528)
Extension Tube (2 Piece), chrome	● (Part # 302000529)	● (Part # 302000529)	● (Part # 302000529)	● (Part # 302000529)
Floor Nozzle, combination	● (Part # 302000477)	● (Part # 302000477)	● (Part # 302000477)	● (Part # 302000477)
Floor Nozzle, aluminum	○ (Part # 5147)	○ (Part # 5147)	○ (Part # 5147)	○ (Part # 5147)
Crevice Nozzle	● (Part # 6084)	● (Part # 6084)	● (Part # 6084)	● (Part # 6084)
Brush Nozzle	● (Part # 6086)	● (Part # 6086)	● (Part # 6086)	● (Part # 6086)
Universal Nozzle	● (Part # 14295)	● (Part # 14295)	● (Part # 14295)	● (Part # 14295)
Tool Adapter	○ (Part # 302000535)	○ (Part # 302000535)	● (Part # 302000535)	● (Part # 302000535)
Washable Filter, fleece	● (Part # 30200490)	● (Part # 30200490)	● (Part # 30200490)	● (Part # 30200490)
HEPA Filter	○ (Part # 302001095)	● (Part # 302001095)	○ (Part # 302001095)	○ (Part # 900133)
1 Synthetic Dust Bag in Container	● (Part # 302004000)	● (Part # 302004000)	● (Part # 302004000)	○ (Part # 302004000)
1 Plastic Bag in Container			● (Part # 302000804)	● (Part # 302000804)
Pneumatic Tool Start			○ (Part # 107400394)	○ (Part # 107400394)
Rubber Nozzle	○ (Part # 5067)	○ (Part # 5067)	○ (Part # 5067)	○ (Part # 5067)

● Standard ○ Optional



## ATTIX 50

TECHNICAL DATA	ATTIX 50	ATTIX 50 HEPA	ATTIX 50 AS/E	ATTIX 50 AS/E XC	ATTIX 50 AS/PE XC
Part Number	302004233	900131	302004234	302004235	900132
Voltage @ 60 Hz. (V)	120	120	120	120	120
Power @ 60 Hz. (W)	1000	1000	1000	1000	1000
Air Flow, max. (CFM)	135	135	135	135	135
Waterlift, max. (in. H <sub>2</sub> O)	92	92	92	92	92
Noise Level (dB(A)) @ working distance of 3 m.	59	59	59	59	59
Container Capacity (gal./L)	12/47	12/47	12/47	12/47	12/47
L x W x H (in.)	18 x 15 x 30	18 x 15 x 30	18 x 15 x 30	18 x 15 x 30	18 x 15 x 30
Shipping Weight (lbs.)	38.5	38.5	38.5	37.5	40
Electrical Approval	ETL-C	ETL-C	ETL-C	ETL-C	ETL-C

FEATURES	ATTIX 50	ATTIX 50 HEPA	ATTIX 50 AS/E	ATTIX 50 AS/E XC	ATTIX 50 AS/PE XC
Filter Cleaning System	Push&Clean	Push&Clean	Push&Clean	XTREME Clean	XTREME Clean
SoftStart	●	●	●	●	●
Speed Control			●	●	●
Electric Tool Start			●	●	●
Accessory/Tool Storage	●	●	●	●	●
Antistatic Hose			●	●	●
Cable Wrap	●	●	●	●	●

ACCESSORIES	ATTIX 50	ATTIX 50 HEPA	ATTIX 50 AS/E	ATTIX 50 AS/E XC	ATTIX 50 AS/PE XC
Hose (dia. x L) (in. x ft.)	● 1.5 x 10 (Part # 15805)	● 1.5 x 10 (Part # 15805)	● 1.5 x 10 (Part # 15805)	● 1.5 x 10 (Part # 15805)	● 1.25 x 16 (Part # 26601)
Curved Wand	● Chrome (Part # 302000528)	● Chrome (Part # 302000528)	● Stainless Steel (Part # 46691)	● Stainless Steel (Part # 46691)	○ Stainless Steel (Part # 46691)
Extension Tube (2 Piece)	● Chrome (Part # 302000529)	● Chrome (Part # 302000529)	● Stainless Steel (Part # 15546)	● Stainless Steel (Part # 15546)	○ Stainless Steel (Part # 15546)
Floor Nozzle, combination	● (Part # 302000477)	● (Part # 302000477)	○ (Part # 302000477)	○ (Part # 302000477)	○ (Part # 302000477)
Floor Nozzle, aluminum	○ (Part # 5147)	○ (Part # 5147)	● (Part # 5147)	○ (Part # 5147)	○ (Part # 5147)
Crevice Nozzle	● (Part # 6084)	● (Part # 6084)	○ (Part # 6084)	○ (Part # 6084)	○ (Part # 6084)
Brush Nozzle	● (Part # 6086)	● (Part # 6086)	○ (Part # 6086)	○ (Part # 6086)	○ (Part # 6086)
Universal Nozzle	● (Part # 14295)	● (Part # 14295)	○ (Part # 14295)	○ (Part # 14295)	○ (Part # 14295)
Tool Adapter	○ (Part # 302000535)	○ (Part # 302000535)	○ (Part # 302000535)	● (Part # 302000535)	● (Part # 302000535)
Washable Filter, fleece	● (Part # 30200490)	● (Part # 30200490)	● (Part # 302002842)	● (Part # 302002842)	● (Part # 302002842)
HEPA Filter	○ (Part # 302001095)	● (Part # 302001095)	○ (Part # 302001095)	○ (Part # 900133)	○ (Part # 900133)
1 Synthetic Dust Bag in Container	● (Part # 302004004)	● (Part # 302004004)	● (Part # 302004004)	○ (Part # 302004004)	○ (Part # 302004004)
1 Plastic Bag in Container			● (Part # 302000728)	● (Part # 302000728)	● (Part # 302000728)
Pneumatic Tool Start			○ (Part # 107400394)	○ (Part # 107400394)	● (Part # 107400394)
Rubber Nozzle	○ (Part # 5067)	○ (Part # 5067)	○ (Part # 5067)	○ (Part # 5067)	○ (Part # 5067)

● Standard ○ Optional



## ATTIX 19


TECHNICAL DATA	ATTIX 19	ATTIX 19 HEPA	ATTIX 19 AS/E XC	ATTIX 19 AS/PE 2
Part Number	302001540	900124	107408932	302001542
Voltage @ 60 Hz. (V)	120	120	120	120
Power @ 60 Hz. (W)	1000	1000	1000	1200
Air Flow, max. (CFM)	140	120	120	140
Waterlift, max. (in. H <sub>2</sub> O)	105	105	105	105
Noise Level (dB(A)) @ working distance of 3 m.	57	57	57	57
Container Capacity (gal./L)	19/72	19/72	19/72	19/72
L x W x H (in.)	24 x 23 x 38	24 x 23 x 38	24 x 23 x 38	24 x 23 x 38
Shipping Weight (lbs.)	78	85	85	92
Electrical Approval				

FEATURES	ATTIX 19	ATTIX 19 HEPA	ATTIX 19 AS/E XC	ATTIX 19 AS/PE 2
Filter Cleaning System			XTREMEClean	XTREMEClean
SoftStart	●	●	●	●
Electric Tool Start			●	●
Accessory/Tool Storage	●	●	●	●
Antistatic Hose			●	●
Cable Wrap	●	●	●	●
Rubber Cable	●	●	●	●
On-Board Power Receptacle			●	●
Power Regulator			●	●
Tool Deposit	●	●	●	●

ACCESSORIES	ATTIX 19	ATTIX 19 HEPA	ATTIX 19 AS/E XC	ATTIX 19 AS/PE 2
Hose (dia. x L) (in. x ft.)	● 1.5 x 13 (Part # 15365)	● 1.5 x 13 (Part # 15365)	● 1.25 x 16 (Part # 30657)	● (2) 1.25 x 16 (Part # 26601)
Curved Wand, stainless steel	● (Part # 46691)	● (Part # 46691)	● (Part # 46691)	○ (Part # 46691)
Extension Tube (2 Piece), stainless steel	○ (Part # 15546)	● (Part # 15546)	● (Part # 15546)	● (Part # 15546)
Floor Nozzle, combination	○ (Part # 302000477)	○ (Part # 302000477)	○ (Part # 302000477)	○ (Part # 302000477)
Floor Nozzle, aluminum	○ (Part # 5147)	○ (Part # 5147)	○ (Part # 5147)	○ (Part # 5147)
Crevice Nozzle	○ (Part # 6084)	○ (Part # 6084)	○ (Part # 6084)	○ (Part # 6084)
Tool Adapter	○ (Part # 302000535)	○ (Part # 302000535)	○ (Part # 302000535)	● (Part # 302000535)
Washable Filter, fleece	● (Part # 30200490)	● (Part # 30200490)	● (Part # 302000751)	● (Part # 302000751)
HEPA Filter	○ (Part # 302001095)	● (Part # 302001095)	○ (Part # 900134)	○ (Part # 900134)
1 Synthetic Dust Bag in Container	● (Part # 302000490)	● (Part # 302000490)	○ (Part # 302002892)	● (Part # 302002892)
1 Plastic Bag in Container			● (Part # 302001480)	● (Part # 302001480)
Rubber Nozzle	● (Part # 5067)	● (Part # 5067)	○ (Part # 5067)	○ (Part # 5067)

● Standard ○ Optional

**NOTE: ATTIX 19 models are not approved for sale in Canada.**



# Push&Clean

## Fast and simple filter cleaning

If you work with fine dust, you are surely familiar with the dreaded task of cleaning clogged filter cartridges to restore normal suction performance.

With Push&Clean, all you have to do to clean the filter is block the inlet fitting or the hose, and push and release the filter cleaning button. The surrounding air enters into the container, passing through the filter cartridge in the opposite direction to clean the filter gently. Dirt is blasted off and high suction performance is restored— you are back to work in no time.

1. Block the hose inlet.
2. Push and release the button.
3. Air pulses in to clean the filter.



# Vacuums that work as hard as you do.

For hands-on users in rugged applications, Nilfisk-ALTO wet/dry vacuums deliver performance, efficiency and reliability as standard. Only Nilfisk-ALTO is backed by more than a century of vacuum and filtration expertise, and offers as many features and functions to meet your specific application needs.

- Push&Clean filter cleaning
- XtremeClean automatic filter cleaning
- Washable PET fleece filter
- Silent power
- Multiple capacities
- MultiFit accessory system
- Auto start for electric/pneumatic tools
- HEPA filtration
- Speed control

## ATTIX 30 - Perfect for professionals on the move

The ATTIX 30 represents a new possibility of achieving superior suction power in a durable, flexible wet/dry vacuum. It features ergonomic design in a slim package that is easy to transport and store.

## ATTIX 50 - When you need more container volume

The ATTIX 50 is the solution for demanding users with a high frequency of cleaning. User-friendly operation and functional design ensure better performance and reliability, with wet and dry capabilities.

## ATTIX 19 - Powerful and rugged wet/dry cleaning

The ATTIX 19 offers power in the form of two-stage turbines, but at a silent level of 57 dB(A). Its steel frame and canister make it rugged and dependable, while still easy to handle. The tilting, removable container is extremely user-friendly.

## Applications


- Building & construction
- Oil & lube
- Automotive
- Fire restoration
- Body shops
- Industrial
- Manufacturing
- Hospitality



Sturdy grip for easy transport and cable storage.



Improved accessory storage and tool deposit.



Filter cleaning options to finish the job faster.



Tilt the container to empty, or simply lift it out of the frame to dispense of its contents.



With a comfortable, integrated handle, it's easy to take the Attix 19 wherever the you work.



Fleece bags available for easy clean-up of debris.

# Proven reliable in tough environments.

## ERGONOMIC DESIGN

Comfortable handle, tilt or lift-out container, handy tool tray and suction tube holder.

## SILENT POWER

Works at a low 57 d(B)A

## STURDY

Steel frame and stainless-steel canister

## HIGH PERFORMANCE

Two-stage turbines and bypass motors

## VERSATILITY

Tilting, removable container; optional features including XtremeClean and Automatic On/Off



\* Nilfisk-ALTO Attix 19 model depicted above with applicable features.

Nilfisk-ALTO brand is owned by Nilfisk-Advance A/S, one of the world's leading manufacturers and suppliers of professional cleaning equipment. Nilfisk-ALTO vacuum cleaners are marketed in the United States through Nilfisk Industrial Vacuums, a division of Nilfisk-Advance, Inc. The company offers a complete line of high-performance vacuum cleaners to meet customers' individual cleaning challenges. Equipped with exceptionally efficient filtration systems and user-friendly features, the company's vacuums play a critical role in maintaining clean, safe and productive environments.

Distributed by:

## Authorized Representative:



**Air Separation  
Technologies Inc.**

336 Bronte Street S., Suite 222  
Milton, ON L9T 7W6  
T: 905-821-8860  
F: 905-693-9401  
[www.astcanada.ca](http://www.astcanada.ca)

**Nilfisk  
ALTO**  
works for you