The ATTIX 44 dust extractor series sets a new standard for design and feature level of the Nilfisk wet & dry vacuum portfolio. With innovative filtration system, improved performance and robust design, this range represents a superior solution for professional customers looking for a safe and reliable machine with large capacity. ATTIX 44 comes with more suction power, sealed dust system, automatic filter cleaning and several other user benefits - designed to meet the tough requirements in building & constructions and other industries when picking up bigger amounts of dust.

ATTIX 44 offers a remarkable productivity thanks to the automatic filter cleaning system InfiniClean™. The InfiniClean™ system ensures continuously cleaning of the filter during operation using a reversed airflow pulse, keeping suction performance on a high level. The downtime is reduced significantly, as the container can be filled up without filter maintenance – even in the most demanding fine dust applications. Also the washable PTFE long-life filter minimizes maintenance and reduces the overall service cost.

Easy handling and user-friendliness - also when it comes to transportation from one working site to another - are other valuable features for the ATTIX 44 dust extractor. All models offer flexible storage solutions for tools and accessories, so everything you need is at hand.



Picture shown may not represent model quoted

- InfiniClean™ Automatic filter cleaning system with minimized performance loss
- PTFE long-life filter with non-stick membrane and minimum 99.9% filtration efficiency
- · Dust class L certification
- Unique dual filter solution available with HEPA filtration.
- · 42 liter container with steel castors and robust bumper.
- · MultiFit accessory system for the ultimate in task flexibility
- · Flexible rubber straps, tool box storage and optional trolley handle for convenient storage and transport
- · Optional motor cooling filter, exhaust air collector and Long-Life filter bag

Standard equipment

	Included accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
Filter						
)	FILTER MAIN PTFE BTL	107413540	0	•	•	
System 32 Ho	ose Vacuum Cleaner					
	CUFF 32MM FOR ACCESSORIES	14682	0		•	
	HOSE A/S RED D32X13FT BTL	107413543	0		•	
System 36 He	ose Vacuum Cleaner					
	HOSE A/S RED D36X13FT BTL	107413544	0			



	Included accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
	HOSE W/HAND TUBE 32MMX11FT	107409976	0	•		
System 36 Tu	be		1			
	CURVED WAND SQ STYLE	46691	0		•	
	EXT STRAIGHT SS 3X14IN D36	107416995	0			
	STRAIGHT WAND EXT SS (2PCS)	107408074	0	•	•	
	TOOL ADAPTOR W/REGULATOR 32MM	107409977	0	•		
	TOOL SOCKET	302000535	0		•	
System 36 Br	ush/Universal Nozzle					
	BRUSH SUCTION BLACK D36	302002509	0			
~	UNIVERSAL NOZZLE	14295	0			
System 36 Va	ac Floor Nozzle					
4	NOZZLE FLOOR 36X400MM W/BRUSH	302003666	0	•	•	
System 36 Cr	revice/Cone Nozzle					
	CREVICE NOZZLE D36 AERO 21-01	29541	0	•	•	
Other						
PA	KIT MOUNTING STORAGE BOX	107413551	0			



Included accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
KIT TROLLEY HANDLE BTL	107413552	0			
STRAP FLEXIBLE STORAGE (2/PK)	107413553	0	•	•	

Model	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
Ref. no.	107412106	107412125	107412178
PRODUCT FEATURES			
Softstart	•	•	•
Anti-static system	•	•	•
Motor speed control	•	•	•
Automatic on/off - electric tools	•	•	•
M-class hazardous dust approval			
Storage of accessories	•	•	•
Extra socket for tool	•	•	•
Hose and cable holder	•	•	•
L-class hazardous dust approval	•		
Disposal bag 1 pcs	•	•	•
Fleece filter bag 1 pcs.			
Tool box storage system			
Technical specifications	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
Power Pmax (W)	1400		
Power Piec (W)	1200	890	890
Mains connection (V/~/Hz/A)	230/1/50-60/16	120/1/50-60/15	120/1/50-60/15
Airflow rate (I/min.)	4500	4260	4260
Vacuum (mbar/kPa)	250/25	230/23	230/23
Working sound level (dB(A))	60	60	60
El cable (m)	7.5	7.5	7.5
Container volume (I-max)	42	42	42
Filter cleaning system	InfiniClean	InfiniClean	InfiniClean
Main filter type	PTFE	PTFE	PTFE



Length x width x height (mm)

Weight (kg)

565x385x605

16

565x385x605

16

565x385x605

16

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
System 36 Cr	evice/Cone Nozzle					
	CREVICE NOZZLE 36 X 920	17836	0	0	0	
	CREVICE NOZZLE D36 AERO 21-01	29541	0	•	•	
	CREVICE TOOL 12 LONG	6084	0	0	0	
	RUBBER NOZZLE	5067	0	0	0	
	RUBBER NOZZLE	40456	0	0	0	
System 50 Tu	be					
	ADAPTER 50-36MM X125	40452	0	0	0	
	ANGULAR CONNECTION	5089	0	0	0	
	CURVED EXTEN.TUBE COMPLETE	15335	0	0	0	
	EXTENSION TUBES	5152	0	0	0	
System 36 Br	ush/Universal Nozzle					
4	ALUMINIUM UNIVERSAL NOZZ.	5145	0	0	0	
	BRUSH NOZZLE PVC 36MM	6086	0	0	0	
	BRUSH SUCTION BLACK D36	302002509	0	0	0	



	Accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
	RADIATOR BRUSH NOZZLE	5144	0	0	0	
	SUCTION BRUSH	5146	0	0	0	
	SUCTION BRUSH	40455	0	0	0	
~	UNIVERSAL NOZZLE	14295	0	0	0	
System 36 Va	c Floor Nozzle					
	ALUM. FLOOR NOZZLE	5147	0	0	0	
1	COMBI NOZZLE D36X260MM	302002365	0	0	0	
4	FLOOR NOZZLE-SQUEEGEE 14	5149	0	0	0	
_	GROUND NOZZLE 18-DRY	15348	0	0	0	
_	INDUSTRIAL SQUEEGEE 18IN	15349	0	0	0	
	NOZZLE 300XDIA36MM	7270	0	0	0	
	NOZZLE COMBINATION D36X270MM	107417892	0	0		
4	NOZZLE FLOOR 36X400MM W/BRUSH	302003666	0	•	•	
1	NOZZLE FLOOR D36 12IN	302002331	0	0	0	



Industrial vacuum cleaners ATTIX 44

	Accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
1	NOZZLE FLOOR W/D KIT D36	107402706	0	0	0	
System 50 Br	ush/Universal Nozzle					
	COARSE DIRT SUCTION NOZZLE	41100	0	0	0	
4	NOZZLE TRIANGULAR	5153	0	0	0	
	SUCTION BRUSH 50MM	40458	0	0	0	
System 38 He	ose Vacuum Cleaner					
	HOSE 13 FT X 36MM COMP W/CUFFS	15365	0	0	0	
	HOSE HEAT RESISTANT	6070	0	0	0	
Vacuum Acce	essory Set					
10/	50MM VEHICLE CLEANING SET	6085	0	0	0	
þ,	CHIP VAC SET	61681	0	0	0	
	INDUSTRIAL ACCESSORY SET	302002881	0	0	0	
	INDUSTRIAL KIT EXTRA	63214	0	0	0	
192	INDUSTRIAL TOOL SET F. ATTIX	63216	0	0	0	















	Accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
6	PIPE VAC KIT	63215	0	0	0	
	WORKSHOP ACCESSORY KIT	302000927	0	0	0	
System 27 Br	ush/Universal Nozzle					
	CURRY-COMB	6092	0	0	0	
System 50 Ci	evice/Cone Nozzle					
	CREVICE TOOL 50MM	7102	0	0	0	
	RUBBER NOZZLE	7868	0	0	0	
System 38 Ci	evice/Cone Nozzle					
	PIPE CLEANING NOZZLE	8054	0	0	0	
System 27 Ho	ose Vacuum Cleaner					
	ADAPTER TOOL AS D27/36-24	107404520	0	0	0	
	HOSE AS W/TOOL ADAPT D27X3500	107406091	0	0	0	
100-	SUCTION HOSE 1 X 11.5FT	14289	0	0	0	
System 32 Ho	ose Vacuum Cleaner					
	ANTI-STATIC HOSE 16	30657	0	0	0	
	COAXIAL SUCTION HOSE	107400841	0	0	0	
	CUFF 32MM FOR ACCESSORIES	14682	0	0	•	
	HOSE A/S RED D32X13FT BTL	107413543	0	0	•	



	Accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
System 50 Ho	se Vacuum Cleaner					
þ	SUCTION HOSE 2 X 13 CHIPS	15182	0	0	0	
15	SUCTION HOSE 2 X 13FT	15358	0	0	0	
System 38 Tu	be					
	EXTENSION PIPE	15340	0	0	0	
	KIT TUBES EXT ALUMINUM D38	107402474	0	0	0	
	TUBE HAND CURVED D38 SS	302002889	0	0	0	
System 50 Va	c Floor Nozzle					
	INDUSTRIAL ROLLER NOZZLE	15343	0	0	0	
System 36 Ho	ose Vacuum Cleaner					
	HOSE 1.5 X 10 COMP W/C	15805	0	0	0	
	HOSE A/S RED D36X13FT BTL	107413544	0	0	0	
	HOSE W/HAND TUBE 32MMX11FT	107409976	0	•	0	
	UNI HOSE 36X3000MM W COUPLING	46948	0	0	0	
System 36 Tu	be					
	CUFF POWER TOOL AERO 800 A	60916	0	0	0	



	Accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
C	CURVED HAND TUBE DN 36	302000528	0	0	0	
	CURVED WAND SQ STYLE	46691	0	0	•	
	EXT STRAIGHT SS 3X14IN D36	107416995	0	0	0	
	STRAIGHT TURNING CONNECTION DI	29457	0	0	0	
	STRAIGHT WAND EXT SS (2PCS)	107408074	0	•	•	
	STRAIGHT WAND EXTENSION (2PCS)	40696	0	0	0	
	SUCTION PIPE 36 2X505MM	302000529	0	0	0	
	TELESCOPIC VACUUM WAND	47109	0	0	0	
	TOOL ADAPTOR W/REGULATOR 32MM	107409977	0	•	0	
	TOOL SOCKET	302000535	0	0	•	
	TUBE EXTENSION ALUM D36 (2PCS)	107400032	0	0	0	
Other						
00	KIT MOUNTING STORAGE BOX	107413551	0	0	0	



	Accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA	
	KIT STORAGE BOX W/BAGS	107413554	0	0	0		
	KIT TROLLEY HANDLE BTL	107413552	0	0	0		
	SPARK SUPPRESOR	34591	0	0	0		
	STRAP FLEXIBLE STORAGE (2/PK)	107413553	0	•	•		
Filter							
	FILTER HEPA BTL	107413555	0	0	0		
~	FILTER MAIN PTFE BTL	107413540	0	•	•		
	KIT COVER HEPA BTL	107413542	0	0	0		
Special Filter							
~	MOTOR COOLING AIR FILTER PET 1	107413541	0	0	0		
Filter Bag							
10	BAG FLEECE 5PK ATTIX 33/44	107419593	0	0	0		
	FILTER BAG REUSABLE BTL	107413556	0	0	0		
Disposal Bag	Disposal Bag						
	BAG PLASTIC BTL 5PK	107417821	0	0	0		
Exhaust Air C	ollector						



Accessories	Ref. no.	Min. required	ATTIX 44-2L IC 230V 50HZ EU	ATTIX 44-21 IC 120V 50/60HZ US	ATTIX 44-21 IC HEPA
ADAPTER EXHAUST BTI	107417865	0	0	0	

